

BUNN®

DUAL GPR DBC w/two 1.5 Gal Servers

GPR brewer design features a warmer stand, and 1.5 gallon (5.7 liter) portable reservoirs are included with each model

18" x 29.3" x 20"



- Stores individual coffee recipes so operator can easily brew many varieties
- Brews .5, 1 or 1.5gal batches into 1.5gal GPR servers
- Coffee extraction controlled with pre-infusion and pulse-brew, digital temperature control and large sprayhead; coffee strength controlled with variable by-pass
- Operate any combination of BrewWISE equipment error-free with wireless brewer- grinder interface through the Smart Funnel
- Programmable freshness indication; message on display alerts when freshness timer expires and when warmers will automatically shut off
- Programmable warmer control; ability to program three time periods with distinct warmer output for each; default settings when this feature is activated is 1 hour at 100% power (100 watts) followed by 1 hour at 70% followed by 1 hour at 40%
- Energy Saver Mode reduces tank temperature during idle periods
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- Create coffee recipe cards with BrewWISE recipe writer on your PC
- Energy saver mode reduces tank temperature during idle periods

Related products

- 12203.0010 RWS1 Warmer
- 12203.0014 RWS1 Warmer
- 20138.1000 Tea & Coffee Paper Filters 500/cs
- 27150.0000 DRIP TRAY KIT, DUAL & SH
- 33700.0000 G9-2T DBC SST
- 34447.0000 CARD ASSY,RECIPE TRANSFER(BRW)
- 12203.0010 RWS1 Warmer
- 12203.0014 RWS1 Warmer
- 20950.0004 1.5Gal(5.7L) GPR-FF Srvr




Product No	Water Access	Electrical (Voltage)	UPC	Coffee Server Type
35900.0010	Plumbed	120/208-240	72504103822	Satellite Server
Coffee Capacity Range	Brewer Type	Finish	Funnel Locks	Brewer to Grinder Interface
Medium	Satellite Systems	Stainless	Yes	Wireless
Number of Wires (+GND)	Cord Attached	2D Format CAD Available	Minimum Input Pressure	Maximum Input Pressure
3	No	Yes	20 PSI	90 PSI
Inlet Water Fitting	BrewWISE	Digital Brewer Control	Faucet Location	Funnel Type
3/8" Male Flare Fitting	Yes	Yes	Lower	Smart Funnel
Machine Depth	Machine Width	Machine Height	Shipping Box Length	Shipping Box Width
20"	18"	29.3"	21"	30"
Shipping Box Height	Shipping Weight	Volume of shipped		

35 "

96.56 lb

12.76 ft3



Electric & Capacity

Electrical Configuration Option
 Volts-Factory Wired: 120/208-240
 Phase-Factory Wired: 1
 Watts-Factory Wired: 5158-6800
 Hertz-Factory Wired: 60
 Amps-Factory Wired: 25.4-29

To see illustrated parts manuals, visit bunn.com/support/manuals

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com. All dimensions shown in inches.